


n Platten	L (mm)	Fläche [m ²]	Gewicht [kg]
10	32,0	0,52	4,62
14	41,2	0,78	5,37
20	55,0	1,17	6,49
24	64,2	1,43	7,24
30	78,0	1,82	8,36
34	87,2	2,08	9,11
40	101,0	2,47	10,23
44	110,2	2,73	10,98
50	124,0	3,12	12,10
60	147,0	3,77	13,97
70	170,0	4,42	15,84
80	193,0	5,07	17,71
90	216,0	5,72	19,58
100	239,0	6,37	21,45
110	262,0	7,02	23,32
120	285,0	7,67	25,19
130	308,0	8,32	27,06
140	331,0	8,97	28,93
150	354,0	9,62	30,80

Max. Druck	3,0 Mpa bis 120 Platten, >120 2,4 MPa
Temp.	-195 °C - 195°C
Plattenmaterial	AISI 316L
Lot	99,9 % Cu

EWT-BC4-60



EWT Plattenwärmetauscher

Geschäftsinhaber

Dipl. Ing. (FH) Guido Grande

Krausenstr. 27a

DE-30171 Hannover


<http://www.edelstahl-waermetauscher.de>



n Platten	L (mm)	Fläche [m ²]	Gewicht [kg]
10	105,0	0,52	6,30
14	105,0	0,78	7,00
20	105,0	1,17	8,10
24	135,0	1,43	8,90
30	135,0	1,82	10,00
34	135,0	2,08	10,80
40	179,0	2,47	11,90
44	179,0	2,73	12,60
50	179,0	3,12	13,80

Max. Druck	3,0 Mpa
Temp.	-50 °C - 150°C
Plattenmaterial	AISI 316L
Lot	99,9 % Cu

EWT-BC4-60X



EWT Plattenwärmetauscher

Geschäftsinhaber

Dipl. Ing. (FH) Guido Grande

Krausenstr. 27a

DE-30171 Hannover

<http://www.edelstahl-waermetauscher.de>